

Mayplas

The Insulation Converter


562 BCO Foil Wrapped / Black Tissue Faced Acoustic Pad

Product Guide

**Mayplas Acoustic Pad is designed for use as sound insulation
in metal tray suspended ceiling systems**

**It helps reduce "room to room" sound transmission over ceiling voids
and helps dampen sound within the room**

**BCO Foil Wrapped / Black Tissue Faced Rockfibre Slab is especially suitable
for "high tech" or sensitive areas where loose fibres could cause problems and
Fire Rating to Class O of The Building Regulations is specified**



- * No loose fibres in ceiling void
- * Helps reduce " room to room" sound
- * Class O to The Building Regulations
- * Shows black through ceiling perforations



FM 11012

Peel Industrial Estate - Chamberhall St - Bury - Lancashire BL9 OLU

Tel: 0161-447-8320 Fax: 0161-447-8333 E-mail: sales@mayplas.co.uk

Mayplas

Product Specification

562 BCO Foil Wrapped / Black Tissue Faced Acoustic Pad

The product consists of 45 kgs/m³ density Rockfibre Slab wrapped in Bright Class O Foil and Black Tissue Faced on reverse side

Produced in a range of sizes to fit all Manufacturers' Metal Tray Ceiling Systems

<u>Pad Thickness:</u>	25mm
<u>Pad Sizes:</u>	300mm x 300mm 600mm x 600mm 1200mm x 300mm 1200mm x 600mm (or other sizes to order)
<u>BCO Foil:</u>	69 gms/m ² weight Class 1 Surface Spread of Flame to BS 476: Part 7: 1997
<u>Black Tissue:</u>	70 gms/m ² weight Class 1 Surface Spread of Flame to BS 476: Part 7: 1997
<u>Rockfibre:</u>	45 kgs/m ³ Density Non Combustible to BS 476: Part 4: 1970 (1984)
<u>Thermal Conductivity:</u>	0.035 W/mK

Fixing

Mayplas Acoustic Pads are laid in to the metal trays during the suspended ceiling installation process



FM 11012

Peel Industrial Estate - Chamberhall St - Bury - Lancashire BL9 OLU

06/03

Tel: 0161-447-8320 Fax: 0161-447-8333 E-mail: sales@mayplas.co.uk